

WESTPORT

3800 Specifications

125' Motor Yacht

PRIMARY DIMENSIONS

LOA.....	125'
LWL (at half load).....	109' 9"
Maximum beam.....	26' 2"
Draft (at full load).....	6' 3"

DISPLACEMENT


Full load.....	400,000 pounds
Half load.....	375,000 pounds
Light ship.....	330,000 pounds

SPEED ESTIMATES

Cruise.....	20 knots
Maximum.....	25 knots

TANK CAPACITIES

Fuel.....	7,065 US gallons
Fresh water.....	1,300 US gallons
Black water.....	1,050 US gallons



Please note: Dimensions, weight, and capacities where shown are approximate. Speed, weight, and other performance estimates, if shown or discussed, are estimates and are not guaranteed. Modifications made to the vessel may change or affect speed, weight, or other capacities and estimates. Specifications are subject to change without notice.

TABLE OF CONTENTS

CONSTRUCTION	4
PRIMARY STRUCTURE	4
EXTERIOR FINISHES	4
WINDOWS.....	4
MECHANICAL SYSTEMS	4
PROPULSION SYSTEM	4
STEERING SYSTEM.....	5
GYRO STABILIZER SYSTEM	5
FIN STABILIZER SYSTEM.....	5
HVAC SYSTEM.....	5
HYDRAULIC SYSTEM	5
BOW THRUSTER	6
DIESEL FUEL SYSTEM	6
GASOLINE FUEL SYSTEM	6
LUBE OIL SYSTEM	6
FRESH WATER SYSTEM	7
WASTE WATER SYSTEM.....	7
COMPRESSED-AIR SYSTEM	7
BILGE SYSTEM	8
DECK DRAIN SYSTEM.....	8
FIRE HYDRANT SYSTEM.....	8
ENGINE ROOM FIRE PROTECTION SYSTEM	8
SOUND ATTENUATION	8
ANCHORING.....	9
MOORING	9
ELECTRICAL SYSTEMS.....	10
GENERATORS	10
SHORE POWER	10
AC ELECTRICAL DISTRIBUTION	10
DC ELECTRICAL SYSTEM.....	10
VESSEL ALARMS & MONITORING	11
AUDIO/VIDEO ELECTRONICS	11
NAVIGATIONAL & COMMUNICATION ELECTRONICS	13
NAVIGATIONAL AIDS	13
EXTERNAL COMMUNICATION SYSTEMS.....	13
INTERNAL COMMUNICATION SYSTEMS	13
CAMERA SYSTEM	13
INTERIOR FINISHES	14

INTERIOR APPOINTMENTS	15
MASTER STATEROOM	15
MASTER HEAD	15
GUEST STATEROOMS.....	15
GUEST HEADS	16
LOWER DECK GUEST FOYER.....	16
MAIN DECK ENTRANCE FOYER	16
GALLEY/DINETTE	16
SALON	16
PILOTHOUSE	17
CAPTAIN & CREW CABINS	17
CAPTAIN & CREW HEADS.....	17
UTILITY ROOM	18
CONTROL ROOM	18
EQUIPMENT ROOM.....	18
ENGINE ROOM	18
INTERIOR APPLIANCES	18
INTERIOR HARD & SOFT GOODS.....	19
EXTERIOR APPOINTMENTS	19
FLYBRIDGE.....	19
BOAT DECK.....	20
PORTUGUESE BRIDGE.....	20
FOREDECK	20
SIDE DECKS.....	20
AFT DECK	20
SWIM STEP	21
BEACH CLUB	21
FITTINGS & EQUIPMENT	21
EXTERIOR APPLIANCES.....	21
UPHOLSTERY	21
LIGHTING	22
SAFETY & SUPPORT	22
SAFETY EQUIPMENT	22
TOOLS.....	22
SPARE PARTS	22
PROVISIONS.....	22
PLANS AND DOCUMENTS	22
VESSEL SUPPORT	22

Construction

PRIMARY STRUCTURE

Hull, superstructure, and decks are of foam-cored composite construction:

- E-glass reinforcements
- Vinyl ester resins
- Core material, thickness, and density varies throughout to optimize engineered structures
- Structural framing combines E-glass and carbon fiber reinforcements
- Structure is engineered to American Bureau of Shipping rules
- Structure is laminated using infusion and hand lay-up

EXTERIOR FINISHES

Hull and superstructure are finished in Alexseal “Snow White” high-gloss urethane paint. Superstructure features are painted Alexseal “Black Magic” metallic. Mast and boot stripe are finished in Alexseal “Super Jet Black” high-gloss urethane paint.

Hull bottom coating is black Sea Hawk anti-fouling paint over an epoxy barrier coat.

WINDOWS

Hull, Main Deck, and Pilothouse exterior windows are frameless, laminated, chemically strengthened glass with an internal structural layer, and directly bonded to the vessel’s structure using a class approved structural adhesive system.

Mechanical Systems

PROPULSION SYSTEM

Two 16-cylinder marine diesel engines drive custom 6-blade propellers through close-coupled, down-angle reduction gears and stainless steel shafts. Engines are equipped with non-switchable SCR exhaust systems that meet the requirements of EPA T3 recreational and IMO III dual certification. Engine vibration is isolated through the use of resilient mounts.

Seawater cooling is supplied through dual 5” copper-nickel lines connected to integrally molded hull scoops through bronze Y-strainers and butterfly valves.

Primary main engine exhaust exits the hull underwater at chine while silenced bypass exits at transom corners.

Main engines: MTU 16V2000 M97L, 2,600 horsepower per engine at 2450 rpm

Engine controls: MTU, four stations

Reduction gears: ZF 5050A, 2.962:1 reduction, 8 degree down angle

Shafts: 4½” diameter Aquamet 22HS

Struts: Custom cast bronze V-struts

Propellers: Six-blade, NiBrAl, CNC machined to S class

STEERING SYSTEM

Digital hydraulic power steering is provided. Power is provided by engine-driven hydraulic pumps on both main engines.

Main Pilothouse and Flybridge steering stations include full follow-up helm wheels, non-follow-up jog levers, thruster controls, rudder angle indicators, and air horn button.

Port and starboard wing stations include non-follow-up jog levers, thruster controls, rudder angle indicators, and air horn button.

Rudders: Foil-shaped rudders with Aquamet 22HS stainless steel stocks

Rudder stock seals: Dripless type

Rudder stock bearings: Orkot composite

Aluminum steering foundation

GYRO STABILIZER SYSTEM

Stabilization at rest is provided by an electrically powered gyro system. Two gyros are installed on centerline in the Lazarette.

Gyros: Two Seakeeper model 35

FIN STABILIZER SYSTEM

Stabilization underway is provided by a hydraulically powered fin system and supplemented by the gyro system. Actuators and fins are installed port and starboard amidships.

Underway power is provided by a main engine-driven hydraulic pump. Control system located in the Pilothouse.

Actuators: Naiad model 525

Fins: 19 square feet

Control: Naiad Datum control system

HVAC SYSTEM

The interior of the vessel is kept at a constant temperature through the use of a seawater cooled, chilled water HVAC system. The chiller capacity is 30 tons and is distributed throughout the vessel via individual room air handlers of various sizes and BTU ratings.

HVAC air handlers: All interior areas are air conditioned by at least one HVAC air handler unit. All air handlers, except mechanical spaces, have electric heat for autonomous heating independent of the chilled water loop.

Ventilation: Exhaust fans located in all heads

Make up air: For cycling fresh exterior air through the vessel interior

Technicold HVAC system: Chiller rack with two 15 ton compressors with dual independent seawater intakes

- Compressors: Two 208 volt/3 phase/60 Hz, 15 ton each
- Air handlers: 208 volt/single phase/60 Hz, various BTU as required by volume being treated, utilizing variable speed high static blowers

Dry dock connection: NPT/camlock adapter allows chillers to operate during dry docking

HYDRAULIC SYSTEM

Hydraulic equipment is powered by electrically driven power packs. An aft power pack serves the passerelle, davit, transom door, and Swim Step beach platform.

BOW THRUSTER

The bow thruster is mounted in a composite tunnel integrally laminated into the hull structure. It is electrically driven with power provided from the ship's AC system through the shore power converter.

Thruster: 16" ABT unit with dual counter-rotating propellers

Motor: 75 hp, electric

DIESEL FUEL SYSTEM

Total diesel fuel capacity is approximately 7,065 US gallons in five tanks. Total diesel exhaust fluid (DEF) capacity is approximately 500 gallons.

Day tank and port and starboard wing tanks are immediately forward of the Engine Room. Two bilge tanks are located under the sole forward.

Tanks are of welded aluminum construction.

Tank levels are monitored by electronic sensors and displayed on the vessel monitoring system. Mechanical back-up level measurement is provided.

Engines and generators draw from the day tank through filter sets and are provided with fuel priming pumps. Fill locations are on the port and starboard aft Main Deck house sides.

AC primary pump

Fuel meter with numerical display

Transfer manifold

High-capacity filter and water separator

Main engine priming pumps: 24 volt DC

Generator priming pumps: 24 volt DC

Filters: Racor 500 duplex turbine series

GASOLINE FUEL SYSTEM

A 100 US gallon tank is provided.

Fuel hose and nozzle are contained in a vapor-tight compartment. Vapor detector provided.

LUBE OIL SYSTEM

The vessel's main engines and generators can be serviced utilizing an onboard lube oil change system.

New/used oil tanks are fitted in the Engine Room bilge on centerline between main engines. Each tank is supplied with its own electric pump and retractable hose reel to pump oil between tanks and engines. The new oil hose reel is equipped with a digital metering nozzle.

New lube oil tank: Aluminum, approximately 58 gallon

Used lube oil tank: Aluminum, approximately 58 gallon

Pumps: AC-powered

Fittings: Steel drip-less quick connectors

FRESH WATER SYSTEM

Total fresh water capacity is 1,300 US gallons in one tank divided into two equal, isolated partitions.

Tank construction is welded stainless steel.

Two AC supply pumps are plumbed to suction and distribution manifolds enabling service isolation of tanks and pumps while system remains operational. Dock pressure fill location at starboard bustle. Freshwater wash down spigots are located on external decks.

Pumps: Two centrifugal pumps, plumbed in parallel for high flow capacity

Watermakers: Two reverse osmosis type, each with 1,850 US gallons per day capacity (3,700 total)

Water heater: Dual-element 120 US gallon capacity

UV filter: For disinfection of potable water

Dual particle filters: For removal of sediment, dissolved solids, and contaminants to 5 microns

Pressure tank: FRP construction located at remote ends of piping system

WASTE WATER SYSTEM

Black water tank capacity is approximately 1,050 US gallons.

Tank is of FRP construction.

Toilets and Galley sink discharge to the black water tank (Galley sink fitted with direct overboard option for use in approved locations). Dockside black water tank pump-out connection is located in the port bustle. Where permitted, black water can be treated by the onboard marine sanitation device (MSD) for overboard discharge. Gray water from sinks, showers, etc. is sent directly overboard, or can be routed to the black water tank when required.

Tank levels are monitored on the vessel monitoring system.

Black water tank includes salt water wash out from fire main.

Pump: High capacity solids handling AC diaphragm pump

MSD: Certified to meet MARPOL and USCG Type II MSD (includes chlorine generator)

Gray water sumps: Three sump boxes each contain an AC pump, DC back-up pump, strainer, pump failure alarm, and inspection port

Black water lift station: Sump box for transfer of galley sink discharge to black water tank

COMPRESSED-AIR SYSTEM

Compressed-air system powers ship's air horn and air tools. Quick connect fittings are provided on Bow, Boat Deck, and in Utility Room for operation of power tools and inflation of tenders, fenders, etc. Retractable hose reel is provided in the Engine Room.

Compressor: 2.0 hp 10 gallon tank

Pressure tank: 15 gallon

Hose reel: Spring rewind with 30' of air hose

BILGE SYSTEM

The five watertight compartments are fitted with alarms for the presence of water and are monitored on the vessel monitoring system. Primary pump is located in the Engine Room. Through a common manifold the auxiliary pump outside the Engine Room provides backup bilge pumping ability.

Primary pump: Centrifugal, flooded suction

Foot valves and strainers: In each watertight compartment

DECK DRAIN SYSTEM

All exterior decks are fitted with freeing ports and/or deck drains. Deck drains are integrally molded into the composite decks and are fitted with stainless steel grates. Drains are plumbed internally to laminated through-hulls located at the boot stripe.

FIRE HYDRANT SYSTEM

Four fire stations are provided, each containing a hose, angle valve, and hi/lo volume nozzle. Auxiliary pump 1 is located in the Utility Room and auxiliary pump 2 located in Engine Room. Through a common manifold the auxiliary pumps provide redundant firefighting capability.

Hoses: Four 1½" x 50' FM-listed flat type with NST thread fittings

Hose rack: Fiberglass construction with rolled hose storage at fire station

Fire nozzles: One at each of the four hydrant stations, FM approved

Auxiliary pumps: 5 hp, 208 volt/3 phase/60 Hz, centrifugal, flooded suction

Sea suction basket strainer

ENGINE ROOM FIRE PROTECTION SYSTEM

FM200 fire suppression system is provided for the Engine Room. Automatic activation includes delay and alarm prior to discharge of suppressant. Activation triggers automatic shutdown of fuel pumps, intake fans, main engines, generators, and closure of Engine Room ventilation dampers.

Engine Room and Engine Room ventilation ducts are insulated to meet an A-30 fire protection rating also providing thermal and acoustic isolation.

SOUND ATTENUATION

Noise and vibration reduction measures are engineered by Westport and consultants.

Engine Room acoustic insulation is integrated with the fire insulation package. It is composed of an aluminum plate reflective barrier, absorptive layers, and structural damping materials.

Machinery vibration is isolated through the use of resilient mounts.

Interior spaces are treated with sound-tight construction techniques to prevent noise transmission between compartments as well as floating joinery connections, acoustic insulation, and damping materials to suppress the transmission of structure-borne noise and vibration.

ANCHORING

Two "Poole" style anchors are stowed in recessed stainless steel pockets on the Bow, port and starboard. Dual electric windlasses on the Foredeck provide independent operation of the two anchors. Chain is stowed in chain locker bins below the Foredeck. Anchor wash down nozzles are installed in the hawse pipes and are supplied with pressurized seawater from the fire hydrant system.

Anchors: Two stainless steel, 440 pound

Windlasses: Two Maxwell VWC6000, 6,000 pound pull

Anchor chain: 5/8" galvanized steel, 350' on starboard, 250' on port

Anchor plates/pockets: Polished stainless steel plates with welded pockets, includes stem guard

Maxwell combination stopper/roller/tensioners: For each chain

MOORING

Line handling is assisted by integrated capstans on the Foredeck windlasses and electrically powered capstans on the Aft Deck.

Twelve double horn bitts and hawse rings are provided, two on each side of the Foredeck, two on each Side Deck, one on each side of the Aft Deck, and one on each side of the Swim Step.

Capstans: Two Maxwell VC3500, 3,500 pound line pull

Bitts: Ten 19", two 11½" polished stainless steel

Hawse rings: Ten polished stainless steel, closed type

Mooring lines: Eight black Mega Braid 1¼" x 75' with ballistic nylon chafe gear

Fenders: Eight PF-8 ProStock 24" x 66" and two PF-14 ProStock 48" x 72" inflatables

Fender hangers: Six

Heaving lines: Four 3/8" x 100' with removable monkey fists

Boat hook

Electrical Systems

GENERATORS

Two generators provide 208 volt/3 phase/60 Hz AC power. Generator exhausts exit the hull at the transom corners. Generator noise and vibration is isolated through the use of sound enclosures and compound resilient mounts. Generators are started and stopped at the main distribution panel or at a remote panel in the Pilothouse.

Generators: Two Northern Lights M80A13, 80 kW, 1800 rpm

SHORE POWER

Connection to shore power is made through two shore cords at the stern of the vessel. System can accept single or three-phase power, from 180 to 520 volt and 47 to 64 Hz. Cords are handled through a powered deployment and retraction system.

Shore power converter: 80 kVA capacity

Cords: Two 100', 100 amp, three-wire with ground

Cord handling and storage: Two Glendinning Cablemasters

AC ELECTRICAL DISTRIBUTION

AC service from shore power and generators is routed to a main distribution electrical panel in the Control Room, then to subpanels located throughout the vessel. Wiring is four-wire three-phase 208 volts with 120 volt single-phase branch circuits where required.

Main distribution panel is constructed of extruded aluminum with powder coat finish, built to IP20 level of protection and incorporates forced-draft cooling. Main panel displays a full gauge package for all sources including volts/amps of each line, phase, power, power factor, and frequency.

Distribution system is designed for parallel operation between generators. Main distribution panel includes a seamless transfer feature for uninterrupted power output during switchover between generator/s and shore power.

DC ELECTRICAL SYSTEM

Twenty-four volt DC power is supplied by four banks of absorbed glass matt (AGM) batteries: house bank, port and starboard main engine start banks, and generator start bank.

House bank power is distributed through the main electrical distribution panel to sub panels and powers emergency lighting and navigation electronics. Each battery bank is equipped with an independent battery charger.

House bank batteries: Two 8-D 245 amp-hour in series-parallel

Main engine start bank batteries: Two banks of two 8-D, 245 amp-hour in series

Generator start bank batteries: Two group 31, 105 amp-hour in series

House bank charger: Newmar 95 amp/24 volt DC

Main engine start bank chargers: Newmar 45 amp/24 volt DC

Generator start bank charger: Newmar 20 amp/24 volt DC

Vessel Alarms & Monitoring

Vessel Information and Control (VIC II) is a proprietary Westport monitoring and alarm system that identifies and provides visibility to critical vessel function and safety information on a single screen in the Pilothouse. System is based on a 24 volt redundant architecture to provide robust reliability in both normal operation and emergency situations.

Hardware includes a dedicated network of “human machine interface” (HMI) touch screens strategically located throughout the vessel to aid the crew in efficient alarm recognition.

Features include:

- A single point alarm management screen in the Pilothouse and four remote touch screen HMI’s
- Instant trending for tank levels and electrical loads
- Electrical system monitoring and alarms indicating condition of on-board and shore power systems
- Tank monitoring, alarming or trending for fresh water, fuel, hydraulics, and black water
- Flood condition monitoring including alarming for all bilge pumps and sump pumps
- Security system with vessel specific monitored points
- Carbon monoxide monitoring and alarms in spaces with combustion machinery or engine exhaust piping
- Navigation light monitoring and alarms

Audio/Video Electronics

The Crestron NVX IP Digital Media system provides a variety of entertainment sources throughout the vessel. Depending on the room type you will find Hi-Definition displays, surround sound speakers and subwoofers, along with iPads and hand held remotes for control.

Kaleidescape system provides a central movie server with the Movie and Music License and Lifetime Music Guide and Software update service included. KVH TracVision UHD7 system provides an Ultra HD satellite connection for North America.

A dedicated power conditioner/double conversion online UPS supports the entertainment systems providing consistent clean and stable power.

Each area can access content either from central sources distributed by the Digital Media system or from local sources.

Central sources include:

- Kaleidescape movie/music library
- DIRECTV US
- Blu-ray/DVD/CD
- AppleTV (airplay/local content only)
- Apple Airplay
- Navigation chart

Local sources include (Master/Salon):

- Kaleidescape movie/music library
- DIRECTV US
- Blu-ray/DVD/CD
- AppleTV (airplay/local content only)

Audio/Video System

	Salon	Galley	Master	Aft Deck	Beach	Flybridge	Foredeck	Pilothouse
TV	65" LED/LCD	50" LED/LCD	55" LED/LCD	46" High Bright	43" High Bright	46" High Bright	No	50" LED/LCD
DVD / Blu-ray	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes
Apple Airplay	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Kaleidescape	Yes	Yes	Yes	Yes	Yes	Yes	Audio Only	Yes
Satellite TV	Yes	Yes	Yes	Yes	Yes	Yes	Audio Only	Yes
Apple TV	Yes	Yes	Yes	Yes	Yes	Yes	Audio Only	Yes
Off Air TV Tuner	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes
Navigation Chart	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes
CCTV	No	Yes	No	No	No	No	No	Yes
Touch Panel	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini
Hand Held Remote	Yes	Yes	Yes	Yes	Yes	Yes	No	No
Speakers	5 overhead + powered sub-woofer	2 overhead	5 overhead + powered sub-woofer	4 overhead	4 overhead	4 overhead	2 bulwarks	2 overhead

	Port Aft Guest	Stbd Aft Guest	Port Fwd Guest	Stbd Fwd Guest	Captains	Crew Mess	Crew	
TV	50" LED/LCD	50" LED/LCD	50" LED/LCD	50" LED/LCD	32" LED/LCD	43" LED/LCD	24" (2) LED/LCD	
DVD / Blu-ray	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Apple Airplay	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Kaleidescape	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Satellite TV	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Apple TV	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Off Air TV Tuner	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Navigation Chart	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
CCTV	No	No	No	No	Yes	Yes	Yes	
Touch Panel	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	No	
Hand Held Remote	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Speakers	2 overhead	2 overhead	2 overhead	2 overhead	TV speakers	TV speakers	TV speakers	

Navigational & Communication Electronics

NAVIGATIONAL AIDS

Position and charting equipment consists of redundant hardware to maximize reliability and availability. Dual radars are heading stabilized for ARPA.

Nobeltec TZ Professional chart plotting system with radar overlay provides coastal navigation tools with excellent charting database and bathymetric data for coastal cruising.

Radar 1: Furuno DRS25AX X-Band radar with 6' open array, 96 NM range

Radar 2: Furuno DRS25AX X-Band radar with 6' open array, 96 NM range

Search light: Carlisle Finch 200 watt Xenon, 15 million candle power with remote controls

Electric horn and hailer: Kahlenberg KB-30A, with automated signal timer in Pilothouse

Air horn: Kahlenberg T-2 three trumpet, push button control at all steering stations

Night vision camera: Flir M series

Wind, depth, and speed instruments: Airmar/Maretron DSM410/NMEA 2000 network

GPS navigator: Furuno GP170D

Satellite compass: Furuno SCX21

Fluxgate rate compass: For TRUE heading backup

Satellite weather: Sirius weather overlay display on chart plotters

EXTERNAL COMMUNICATION SYSTEMS

External communications (off vessel) consist of a mix of radio, cellular, hard-wired, and satellite based technologies.

Cellular telephone service: With LTE data, region specific

High speed satellite voice and data connection: KVH V7HTS

Worldwide satellite voice and data: Iridium

Shore phone connection

Wi-Fi marina hotspot amplifier

AIS: Class A transponder

VHF radiotelephones: Furuno

INTERNAL COMMUNICATION SYSTEMS

Onboard communications consist of IP phones with intercom.

Digital phone system: Twenty station

Internet connectivity: Through Westport Integrated Network (WIN) system, wireless access is available throughout the vessel

CAMERA SYSTEM

A comprehensive IP CCTV system offers security and assists in navigation during low visibility situations. Hi-resolution color cameras are controlled with Axis software. Digital 360 degree panoramic cameras on the Beach and Aft Deck as well as fixed port and starboard cameras on side decks assist in maintaining surveillance of entry points. In the Engine room two full pan tilt zoom (PTZ) cameras help the captain monitor mechanical operation while piloting the vessel. Located forward on the mast is a FLIR M infra-red and color camera for nighttime navigation and viewing. Full PTZ camera is located on the underside of the mast cloud. Camera video is available in the Pilothouse, at the Flybridge, in the Captain's cabin, in the Crew Mess, and throughout the vessel on the entertainment system.

Interior Finishes

Interior Design: Color, pattern, and style of interior finishes are tailored to suit individual customer tastes. Westport employs qualified interior designers to assist our customers with décor decisions. Input from outside designers is welcome.

Joiner work: Premium woods, veneers, accent hardwoods, painted and wrapped surfaces are used in public areas and Guest accommodations.

Crew areas are constructed using Beech hardwoods and Anigre veneers, providing a light finish tone.

Joinery finish system employs a full epoxy grain fill to seal the wood and a polyurethane top coat. Finish sheen is primarily satin with high-gloss accents on selected trim pieces and tops.

Countertops: Throughout the public areas and Guest accommodations countertops are wood with a high-gloss finish or natural stone.

Stone tops in the Galley, Guest and Master heads, and on Salon buffet and bar cabinets are constructed using thin, lightweight slab with full thickness bonded edge details.

Crew Galley, Crew heads, and Utility areas employ solid surface tops.

Wall coverings: Wall treatments are varied throughout the vessel to suit the décor of each space. Finishes include wood paneling, upholstered panels, and direct apply decorative wall coverings.

Headliners: Majilite vinyl fabrics are utilized with wood trim in architectural patterns to complement each space's layout and décor.

Upholstery: Fabrics and leathers are chosen to suit the individual customer's décor. Upholstery is hand crafted by Westport's team.

Custom upholstered items typically include:

- Galley and Pilothouse settees
- Loose furniture as required
- Pilothouse dash panels, dash hood, and window mullions
- Headboards
- Throw pillows

Window treatments: Room-darkening window coverings are provided throughout the Main Deck and Lower Deck accommodations. Galley, Salon, Main Deck Foyer, Master and Guest stateroom blinds are power operated and controlled through the Crestron system.

Flooring: Engineered wood is used in the Galley, Main Deck Foyer, and Lower Deck Foyer. Stone is used in the Main Deck Day Head, Guest, and Master heads. High quality stain-resistant carpet is installed in the Salon, Dining area, Pilothouse, all staterooms, and the Crew Mess. Amtico or equal vinyl is used in Crew heads, the Utility Room, and Beach Club Day Head.

Lighting: LED overhead lighting is used throughout the vessel. Lighting is controlled with the Crestron system. Accent and task light fixtures are selected to complement the individual vessel's décor.

Interior Appointments

MASTER STATEROOM

Berth: King berth, upholstered headboard, and powered lift top to access storage below

Lighting: Recessed LED room lights

Reading light over nightstands

Indirect LED strip accent lighting at overhead edges, in recessed soffit above berth, and under nightstands and berth

Mirrors: Clear mirror on inside of wardrobe doors

Wardrobe: Two with automatic light, closet rod, and shelf

Joinery: Two nightstands with drawers

Three dressers

MASTER HEAD

Shower: Stone with euro-style frameless tempered glass doors, sealed shower lights, Kohler DTV+ showering system

Mirrors: Two mirrored medicine cabinets

Lighting: Recessed LED room lights

Indirect LED strip accent lighting at overhead edges, under medicine cabinets and vanities

Sconces on each side of medicine cabinets, desk and dresser

Bath accessories: Two soap dispensers, toilet tissue holders, towel bars, towel rings, four robe hooks

Joinery: Vanities port and starboard

Makeup desk on port

Dresser on starboard

Linen lockers port and starboard

Safe: Digital safe in port linen locker

Toilets: Two Headhunter Royal Flush Bravo

GUEST STATEROOMS

Berth: Port and starboard aft staterooms and port forward stateroom have a queen berth with upholstered headboard and lift top to access storage below. Starboard forward workout room has upper and lower Pullman twin berths and no nightstands.

Lighting: Recessed LED room lights

Reading light over nightstands

Indirect LED strip accent lighting at overhead edges, under nightstands and berth

Mirrors: Clear full length mirror on inside of wardrobe door

Wardrobe: Forward staterooms have built-in wardrobe with automatic light, closet rod, and shelf; aft staterooms have walk-in wardrobe with automatic light and closet rod

Joinery: Two nightstands

Dresser

GUEST HEADS

Shower: Stone with Euro-style frameless tempered glass doors, includes a sealed light, Kohler DTV showering system

Mirror: Mirrored medicine cabinet

Lighting: Recessed LED room lights

Indirect LED strip accent lighting at overhead edges, under medicine cabinets and vanities

Bath accessories: Soap dispenser, toilet tissue holder, towel ring, two towel bars or hooks, two robe hooks

Joinery: Vanity & medicine cabinet

Linen locker

Toilet: Headhunter Royal Flush Bravo

LOWER DECK GUEST FOYER

Lighting: Recessed LED room lights

Indirect LED strip accent lighting at overhead edges

Joinery: Niche cabinet with hidden access to equipment locker

Equipment locker: HVAC equipment, A/V racks, and power distribution panels

MAIN DECK ENTRANCE FOYER

Lighting: Overhead recessed LED lights

Indirect LED strip accent lighting at overhead edges

Day Head: Headhunter Royal Flush Bravo toilet. Overhead recessed LED lights, indirect LED strip accent lighting at overhead edges and under floating vanity. Stone vanity top, flooring, and wainscoting. Fixtures & accessories include towel ring, soap dispenser, and toilet tissue holder.

GALLEY/DINETTE

Lighting: Overhead recessed LED lights

Indirect LED strip accent lighting at overhead edges and under upper cabinetry

Dinette settee and table: Stone table top, built-in storage above and below settee, settee fabric as specified by Westport Interior Design

Sinks: One stainless steel double basin sink with cutting board, soap dispenser, pull out spray faucet; one single basin undermount prep sink with single handle kitchen faucet

Sliding partition: Powered sliding door from Main Deck Foyer with glass as specified by Westport Interior Design

SALON

Joinery: Buffets port and starboard with backlit stone tops

Aft corner cabinetry storage; wet bar to port, entertainment center and wine cooler to starboard

Loose furniture: As specified by Westport Interior Design, typically includes a sofa, love seat, occasional chair, cocktail table, end tables, game table with four chairs, ten dining chairs

Overhead detail: Perimeter soffit with air louvers and LED strip light. Overhead ceiling feature over the dining area.

Formal dining: Formal dining table accommodates ten guests

Bar: Walk-up bar with sink, refrigerator, ice maker, and storage

Aft door: Large four-panel polished stainless steel sliding door, weather tight, direct bonded glass

PILOTHOUSE

Integrated glass bridge: Westport Integrated Bridge System (WIBS)

Helm station wheel: 24" carbon fiber

Engine controls: MTU

Engine instrumentation: MTU

Control console: Majilite (or equal)

Settee: Fabric or leather as specified by Westport Interior Design

Settee tables: Two

Defroster: On Pilothouse console

Windshield wipers/washers: Exalto windshield wipers with electronic control panel with synchronization and washers for three wipers

Helm chair: Two Stidd Low Back Luxury Admiral helm chairs with fabric or leather to match settee

Joinery: Bookcases

Helm console housing WIBS screens, storage below

Chart drawers adjacent to console

Printer cabinet

Desk, stool provided

HVAC: Soffit for air distribution

Computer: Laptop located at navigation station (desk)

CAPTAIN & CREW CABINS

Berths: Captain's berth is double size and Crew has four twin berths with storage below

Lighting: Recessed LED room lights, reading lights

Mirrors: Clear full-length mirror on the inside of the wardrobe doors

Blinds: Manual honeycomb pleated blinds

Joinery: Captain's wardrobe (contains safe) and dresser

Captain's desk, includes stool

Captain's upper cabinet above desk

Captain's night cabinet over berth outboard

Crew wardrobe and dresser in each berth area

Crew storage under lower berths

Crew Mess upper and lower cabinets with solid surface countertop

Crew Mess upholstered settee with storage cabinets above hull shelf, solid surface table top with storage cabinet under

Crew Mess walk-in storage locker

CAPTAIN & CREW HEADS

Showers: Custom-molded fiberglass with tempered glass doors, sealed shower light

Mirrors: Mirrored medicine cabinet

Lighting: Recessed LED room lights and vanity lighting

Counters: Solid surface

Flooring: Amtico or equal commercial vinyl flooring, solid surface base molding

Bath accessories: Soap dispenser, toilet tissue holder, towel bars, robe hooks

Joinery: Vanity & medicine cabinet

Toilets: Headhunter

UTILITY ROOM

Accessed from the Beach Club through a sliding watertight door, the Utility Room includes a guest Day Head on the port side and a dive locker, freezer, and ice maker on the starboard side.

CONTROL ROOM

Located off starboard side of Utility Room and can also be accessed through a watertight door from the Aft Deck. The main electrical distribution panel, shore power converter, FM200 fire suppression system that services the Engine Room, dive compressor, and six dive tanks are located here.

EQUIPMENT ROOM

Located off port side of Utility Room, the Equipment Room contains a work bench with sink and vise grip, Moduline toolbox and tool set, upper storage cabinets, watermakers, and bilge pump. Watertight hatch provides access to port Lazarette storage.

ENGINE ROOM

Accessed via a watertight door from the Utility Room; main components include engines, generators, MSD system, lube oil tanks, HVAC chiller, and air compressor.

INTERIOR APPLIANCES

(All equipment is as listed or equal)

Galley:

- Refrigerator/freezer: Sub-Zero 48"
- Cooktop: Wolf 36" induction
- Oven: Wolf 30" convection
- Microwave: Panasonic
- Dishwasher: Asko
- Vent hood: Wolf
- Hot water dispenser: InSinkErator

Salon:

- Ice maker: Sub-Zero
- Refrigerator: Perlick
- Wine cooler: Sub-Zero

Master Foyer:

- Refrigerator: Sub-Zero undercounter drawers

Crew Mess:

- Washers and dryers: Two Miele stacked sets
- Microwave: GE
- Refrigerator/freezer: Bosch

Utility Room:

- Upright freezer: Sub-Zero
- Ice maker: Manitowoc

INTERIOR HARD & SOFT GOODS

Cookware: Galley is fully equipped with cookware, cutlery, bakeware, and utensils. Cookware includes: All-Clad stainless steel induction cookware set, Henkel cutlery set, KitchenAid mixer, food processor, toaster, blender, and coffee maker.

Barware: Custom fit, secure storage is provided for barware in the Salon. Barware includes twelve highball glasses and double old fashioned glasses.

Formal tableware: Provided in custom fit, secure storage in the Dining area

- Dishware: Twelve 5-piece place settings and soup/pasta bowls; one serving platter, serving bowl, serving utensil set, sugar bowl, and creamer
- Flatware: Twelve 5-piece sets, one serving utensil set
- Glassware: Twelve wine glasses, water goblets, and champagne flutes

Casual tableware: Stored in the Galley

- Dishware: Twelve 5-piece place settings and bowls; one serving platter, serving bowl, sugar bowl, and creamer
- Flatware: Twelve 5-piece sets, one serving utensil set
- Glassware: Twelve stemless wine glasses, sixteen tall glasses and tumblers

Linens: Guest linens for bed and bath include pillows, two sets of sheets, including flat, fitted and pillowcases, blankets, light and medium weight duvet, duvet cover, luggage pad, bathrobes, bath towels, hand towels, and face cloths.

Crew linens for bed and bath include pillows, two sets of sheets per berth, blankets, duvet and cover, bath towels, hand towels, and face cloths.

Tableware linens include placemats, napkins, and napkin holders for formal and casual dining.

Household linens include Galley towels and dishcloths and housekeeping towels and cloths.

Art and accessories: Customer selected with assistance from Westport Interior design

Mattresses: Innerspring mattresses are custom made to fit each berth

Exterior Appointments

FLYBRIDGE

Decking: Teak over composite deck

Flybridge helm: Steering controls on centered console

Helm chairs: Two Stidd Luxury Low Back, deluxe polished chrome and stainless package, vinyl upholstery

Helm wheel: Carbon fiber wheel

Wing stations: Steering units on port and starboard of Flybridge console

Hard top: Composite construction covering Flybridge Deck has 24 volt overhead deck lighting

Settees: Settee with cushions and storage below port and starboard, each with high-low table

Mast: Composite with electronics, anchor light

Venturi: Custom laminated curved glass windshield

BOAT DECK

Decking: Snow white non-skid finish

Davit: Hydraulic powered Nautical Structures (or equal) crane features proportional control and a 2,500 pound load capacity

Rails: Stainless steel rails with mid rail around boat deck

Hot tub: Custom fabricated spa with multi-zone jets

Tender: AB Nautilus 15DLX with 70 hp Yamaha outboard motor and includes the following: starboard console, VHF radio with fold down antenna, compass, depth sounder, polished stainless steel rails, transom ladder, and lifting bridle. Tender chocks with removable mounting system and four heavy-duty white 6" x 24" fenders with covers are provided.

Wet bar: Stone countertop with stainless steel sink, electric grill, undercounter refrigerated drawers, twelve double old fashioned and highball glasses

PORTUGUESE BRIDGE

Decking: Teak over composite deck

Furniture: Settee, two tables, two Summit or equal folding chairs, sun pad

Awning: Removable awning assembly

Storage: Port and starboard

Pop up cleats: Two

FOREDECK

Decking: Snow white non-skid finish

Bosun's locker: 110 volt outlet inside with lights and storage

Bow seat: With storage below

Pop-up cleats: Two

SIDE DECKS

Decking: Teak over composite deck

Boarding gates: Port & starboard

Deck fills: Port house side recess for tank fills

Boarding stairs: One 8-step carbon fiber stair with handrails is stowed in recess on the port Side Deck, mounting brackets located at port & starboard gates

Fire station: Starboard house side recess for fire hydrant and hose

Wind doors: Aft side deck wind screen doors port and starboard

AFT DECK

Decking: Teak over composite deck

Wet bar: Upper bar top is high gloss Teak and the lower bar surface is stone, stainless steel sink, refrigerated drawers, bar storage, twelve double old fashioned glasses and highball glasses

Furniture: Molded-in settee with cushions, one high gloss Teak dining/cocktail table on stainless steel pedestals with electric high/low feature, four dining chairs, and three loose bar stools

Curved staircase: Up to the Boat Deck, a weather tight door leads down to the Control Room

Capstans: Two Maxwell 3500 pound 24 volt DC

Passerelle: Nautical Structures custom, double telescoping, hydraulic passerelle deploys from the Aft Deck at the top of the port Swim Step stair

SWIM STEP

Decking: Teak over composite deck

Hose bibs: For washdowns

Pop-up cleats: Four

Steps to Aft Deck: Located port and starboard with Teak covered steps and stainless steel handrails

Mooring bitts: Two, one port & one starboard

Access door to Utility Room: Watertight door

Staple rails: 2" polished stainless steel, removable

BEACH CLUB

A hydraulically actuated sliding platform extends aft from the center of the Swim Step five feet when deployed. The platform incorporates fold down swim ladders port and starboard.

Wet bar: Stone covered bar with refrigerated drawer, stainless steel sink, and TV above, six double old fashioned glasses, twelve highball glasses

Furniture: Two folding chairs, Summit or equal

FITTINGS & EQUIPMENT

Flag staffs: Stern flag staff, bow jack staff, and courtesy flag halyards are provided

Hull guards: Upper and lower hull guards are molded integrally with the hull and capped with 1½" stainless steel rub rails

Name boards: Side name boards are custom made to the customer's selected style and font and provided with LED backlighting

Name and hailing port: Displayed on transom in custom vinyl lettering

Railings: Handrails on the Main and Upper Decks are polished stainless steel, 1½" round top rails with 1¼" stanchions. Removable 2" diameter, polished stainless steel staple rails are provided on the Swim Step.

EXTERIOR APPLIANCES

(All equipment is as listed or equal)

Boat Deck:

- Refrigerator: Sub-Zero undercounter drawers
- Electric grill: Custom stainless steel enclosure with Wells charbroiler insert

Aft Deck:

- Refrigerator: Sub-Zero undercounter drawers

Beach Club:

- Refrigerator: Fisher & Paykel drawer

UPHOLSTERY

Covers: Pearl Grey Stamoid covers are custom made for exterior settees, tables, bars, Flybridge console, tender, sun pad, hot tub, and loose furniture. Pearl Grey Stamoid bags will be utilized for loose handrails for passerelle, boarding ladder, and items such as folding chairs.

Cushions and sun pad: Custom fit and upholstered in customer-selected color and pattern

Flybridge helm chairs: Upholstered in vinyl

Windshield: Black mesh cover is provided for the Pilothouse forward windows

LIGHTING

LED overhead lighting: Provided on the Aft Deck, Side Decks, and Flybridge

LED courtesy lighting: Recessed into the bulwarks and house sides to light the Foredeck, Boat Deck, and Swim Step

Floodlights: Provided to light the Boat Deck from the mast and to light the Swim Step from the aft end of the Boat Deck

Underwater lighting: Four LED lights are installed across the transom

Safety & Support

SAFETY EQUIPMENT

Life rafts: Two 16-man life rafts are secured in custom racks, one on each side of Boat Deck

Life preservers: Eighteen adult and six child, USCG approved, with water lights

Immersion suits: Fifteen USCG, SOLAS compliant adult suits

Man overboard equipment: 30" diameter ring buoy on Aft Deck, inflatable throw cushion on Boat Deck

Flare kit

Ship's bell: Per USCG regulations

Fire extinguishers: Two 10-pound and four 5-pound dry chemical type, eight 10-pound carbon dioxide type

GPIRB

Medical kit

TOOLS

Comprehensive set of Snap-On mechanic's hand tools is provided.

Prop-Smith prop puller is matched to the vessel's propeller hubs.

Toolbox is provided in the aft Utility space.

SPARE PARTS

Equipment manufacturers' spare parts kits are provided for the main engines, generators, and watermakers.

Extensive ship's spare parts kit is provided and includes assorted fasteners and fittings.

PROVISIONS

The vessel is delivered with approximately 2,000 gallons of diesel fuel and a full fresh oil tank.

Cleaning supplies, towels, etc. are provided.

PLANS AND DOCUMENTS

Owner's manual

Equipment manufacturer's manuals

Plans and drawings provided include:

- Profile and arrangement drawing
- Docking plan
- Tank capacity plan
- Electrical schematics
- Systems schematics for fresh water, deck drains, black water, and fuel systems

VESSEL SUPPORT

Orientation: Prior to delivery the owner and/or crew are provided with dockside orientation on the operation of vessel systems by Westport personnel.

Customer support: Westport Customer Service is on-call 24/7 to support the owner and crew.