

# WESTPORT

## 3500 Specifications

### 117' Motor Yacht

#### PRIMARY DIMENSIONS

LOA.....	117' 4"
LWL.....	104' 10"
Maximum beam.....	25' 2"
Draft (at full load).....	6' 7"
Air draft.....	39' 0"

#### MAXIMUM SPEED/KNOTS


Full load.....	20
Half load.....	24

#### DISPLACEMENT/U.S. POUNDS

Full load.....	349,400
Half load.....	325,000
Light ship (no fuel, water).....	284,000

#### TANK CAPACITIES/U.S. GALLONS

Fuel.....	6,119
Fresh water.....	1,043
Black water.....	1,011



Please note: Dimensions, weights, and capacities where shown are approximate. Speed, weight, and other performance estimates if shown or discussed are estimates only and are not guaranteed. Specifications are subject to change without notice.

**Modifications made to the vessel may change or affect speed, weight, or other capacities and estimates.**

# TABLE OF CONTENTS

<b>VESSEL CLASSIFICATION .....</b>	<b>4</b>
<b>CONSTRUCTION .....</b>	<b>4</b>
STRUCTURE .....	4
EXTERIOR FINISHES .....	4
WINDOWS .....	4
<b>MECHANICAL SYSTEMS .....</b>	<b>5</b>
PROPULSION SYSTEM .....	5
STEERING SYSTEM .....	5
STABILIZATION .....	5
HVAC SYSTEMS .....	5
HYDRAULIC SYSTEM .....	6
DIESEL FUEL SYSTEM .....	6
GASOLINE FUEL SYSTEM .....	6
LUBE OIL SYSTEM .....	6
FRESH WATER SYSTEM .....	7
WASTE WATER SYSTEM .....	7
COMPRESSED AIR SYSTEM .....	7
BILGE SYSTEM .....	7
FIRE HYDRANT SYSTEM .....	7
FIRE PROTECTION SYSTEM .....	8
SOUND ATTENUATION .....	8
ANCHORING SYSTEM .....	8
MOORING SYSTEM .....	8
<b>ELECTRICAL SYSTEMS .....</b>	<b>9</b>
GENERATORS .....	9
SHORE POWER .....	9
AC ELECTRICAL DISTRIBUTION .....	9
DC ELECTRICAL SYSTEM .....	9
LIGHTING .....	10
<b>VESSEL ALARMS &amp; MONITORING .....</b>	<b>10</b>
<b>AUDIO/VIDEO ELECTRONICS .....</b>	<b>11</b>
<b>NAVIGATION &amp; COMMUNICATIONS ELECTRONICS .....</b>	<b>13</b>
NAVIGATIONAL AIDS .....	13
EXTERNAL COMMUNICATION SYSTEMS .....	13
INTERNAL COMMUNICATION SYSTEMS .....	13
CAMERA SYSTEM .....	14
<b>INTERIOR FINISHES .....</b>	<b>14</b>

<b>INTERIOR APPOINTMENTS .....</b>	<b>15</b>
MASTER STATEROOM.....	15
MASTER HEAD .....	15
GUEST STATEROOMS.....	15
GUEST HEADS .....	15
LOWER DECK GUEST FOYER .....	16
MAIN DECK ENTRANCE FOYER.....	16
GALLEY/DINETTE.....	16
SALON .....	16
PILOTHOUSE .....	17
CAPTAIN - CREW QUARTERS.....	17
CAPTAIN - CREW HEADS .....	17
ENGINE ROOM.....	18
UTILITY ROOM .....	18
DAY HEAD AFT.....	18
CONTROL ROOM .....	18
EQUIPMENT ROOM.....	18
INTERIOR APPLIANCES .....	18
<b>INTERIOR DÉCOR ITEMS .....</b>	<b>19</b>
<b>EXTERIOR APPOINTMENTS.....</b>	<b>19</b>
FLYBRIDGE.....	19
BOAT DECK .....	20
FOREDECK .....	20
SIDE DECKS .....	20
AFT DECK.....	20
SWIM STEP.....	21
BEACH CLUB.....	21
STORAGE / EQUIPMENT LOCKERS.....	21
EXTERIOR APPLIANCES.....	21
NAMEBOARDS AND LETTERING.....	21
RAILS.....	21
THRU-HULLS.....	21
HATCHES.....	22
EXTERIOR UPHOLSTERY.....	22
<b>MISCELLANEOUS EQUIPMENT.....</b>	<b>22</b>
<b>PROVISIONS.....</b>	<b>22</b>
<b>SAFETY EQUIPMENT.....</b>	<b>23</b>
<b>PLANS &amp; SUPPORT .....</b>	<b>23</b>
PLANS.....	23
WESTPORT SUPPORT .....	23

# Vessel Classification

---

## **AMERICAN BUREAU OF SHIPPING (ABS)**

This vessel will be classed by the American Bureau of Shipping (ABS). The class notation will be **A1** Yachting Service AMS to the ABS Guide for Building and Classing Yachts - 2019. As part of the classification process, ABS conducts an engineering review of the vessel's structure and mechanical systems and performs periodic surveys throughout its construction. The vessel owner is responsible for ongoing surveys and maintenance of Class after delivery.

## Construction

---

### **STRUCTURE**

Hull, superstructure, and decks are of foam-cored composite construction:

- E-glass reinforcements
- Vinylester resins
- Core material, thickness, and density varies throughout to optimize engineered structures
- Structural framing combines E-glass and carbon fiber reinforcements
- Structure is engineered to American Bureau of Shipping rules
- Structure is laminated using infusion and hand lay-up

### **EXTERIOR FINISHES**

Hull and superstructure are finished in Alexseal "Snow White" high-gloss urethane paint.

Superstructure features are finished in Alexseal "Black Magic" metallic paint.

Boot Stripe is finished in Alexseal "Super Jet Black" high-gloss urethane paint.

Hull bottom coating is black Sea Hawk anti-fouling paint over an epoxy barrier coat.

### **WINDOWS**

Superstructure side and Pilothouse front windows are frameless, tempered glass, direct bonded to the vessel structure with a structural adhesive system.

Portlights and hull windows are toughened, laminated glass, direct bonded to recesses integrally molded into the hull.

# Mechanical Systems

---

## PROPULSION SYSTEM

**Main engines:** Two Caterpillar C32-ACERT engines, rated 1900 hp at 2300 rpm. Gearbox, ZF 3060A 3:1 ratio, with four station ZF ClearCommand controls and underwater exhaust

**Propellers:** 50" diameter x 50" pitch 1.05 DAR Michigan NiBrAl five-blade custom wheels

**Shafts:** 4½" Aquamet 22-H.S. or equal

**Shaft seal:** Wartsila partial split seal

**Struts:** NiBrAl cast wake adaptive I struts

**Bow thruster:** American Bow Thruster 16", 60 hp electric dual prop with four-station controls

**Bonding:** All bronze thru-hulls to be bonded with #8 or heavier wire and connected to transom zincs and shaft wipers

**Zinc anodes:** Are installed on hull at transom and secured on brass studs and tied to the bonding system. Included are shaft and strut zincs.

## STEERING SYSTEM

**Steering:** Digital hydraulic power steering with dual, engine-driven pumps, and four steering stations: Pilothouse, Flybridge, and Port & Starboard wing stations. Pilothouse and Flybridge Stations include RAI indicator, horn, start/stop buttons, and thruster controls. Wing Stations include RAI indicator, start/stop buttons, and thruster controls.

**Rudders:** Wake adapted cast bronze foil-shape 10½ square foot rudders with 5½" Aquamet 22HS or equal stainless steel stocks

**Rudder bearings/seals:** Fiberglass sleeves with PYI bearings, dripless seals, and spare seals in carrier

## STABILIZATION

**Gyros:** Stabilization at rest is provided by two model 35 Seakeeper gyro stabilizers

**Fins:** Stabilization while underway is provided by a pair of fins located approximately amidships and powered hydraulically by an engine driven hydraulic pump. Control is by modern digital system located in the Pilothouse. Naiad model 525, 19 square foot fins, single station control, with oil level warning, unloading valve kits and dual pumps with gauge kits.

## HVAC SYSTEMS

The interior of the vessel is kept at a constant temperature through the use of a seawater cooled treated water HVAC system. The capacity is 30 tons and is distributed throughout the vessel via individual room air handlers of various sizes and BTU ratings. There is one HVAC keypad for the two air handlers in the Master Stateroom, one for the two air handlers in the Galley, one for the three air handlers in the Pilothouse, and two for the four air handlers that serve the Salon; all other air handlers are each controlled by a separate keypad.

**HVAC air handlers:** All interior areas are air conditioned by at least one HVAC Air Handler unit. All air handlers, except mechanical spaces, have electric heat for autonomous heating independent of the chilled water loop.

**Ventilation:** Exhaust fans located in all heads

**Make up air:** For cycling fresh exterior air through the vessel interior

**Technicold HVAC system:** Chiller rack with two 15 ton compressors with independent seawater intake

- Chillers: 230 volt/3 phase/60 Hz, 30 ton
- Air handlers: 230 volt/single phase/60 Hz, various BTU as required by volume being treated, utilizing variable speed hi static blowers

**Dry dock connection:** NPT/camlock adapter allows chillers to operate during dry docking

## HYDRAULIC SYSTEM

Hydraulic equipment is powered by electrically driven power packs.

An aft power pack serves the transom door. A Boat Deck power pack serves the davit.

## DIESEL FUEL SYSTEM

Approximately 6,119 gallons (US) of diesel in three tanks; one forward tank, a midship tank which is split into two compartments, and the main tank which is separated into three compartments. A fuel transfer system including a pump, meter and distribution manifold provide a means to manage fuel. All diesel consumers draw from the center compartment (day tank). During normal operations fuel is transferred to the day tank via the transfer pump. Fueling process is via either of two deck fill locations amidships, port or starboard side. Tank is vented to atmosphere on one side of the vessel. Tank level monitoring is via electronic sensor and display with high/low level alarms. Tank is all aluminum, welded construction with internal baffles.

**Pumps:** Fuel transfer pump will have a flow meter and is controlled by a computer

### **Fuel filters:**

- One dual Racor Duplex DFBO with isolation valve for each main engine and one Dual Racor 75/500 for each generator
- High capacity filter with water, dirt and rust removal for fuel transfer system

**Fuel tanks:** 5086 alloy aluminum plate construction

- Main tank: Separated tank with dual fills and standard vents, electronic monitoring, and sight tube level indicators in Engine Room; approximate capacity 2,568 gallons
- Forward and mid tanks: Single fills and standard vents, electronic monitoring, and diptape level indicators; approximate capacities 1,620 and 1,930 gallons respectively

## GASOLINE FUEL SYSTEM

The gasoline system consists of a tank with standard venting, air diaphragm pump, and hose with nozzle to transfer the gas. The hose, nozzle, pump, and tank fill are located to service the Swim Step area.

**Tank:** Aluminum, approximately 100 gallon, usable fuel may be slightly less

**Pump:** Air diaphragm

## LUBE OIL SYSTEM

The vessel's main engines and generators can be serviced utilizing an onboard lube oil change system. New/used oil tanks are fitted in the Engine Room bilge on centerline between main engines. Each tank is supplied with its own electric pump and retractable hose reel to pump oil between tanks and engines. The new oil hose reel is equipped with a digital metering nozzle.

- New lube oil tank: Aluminum, approximately 58 gallon
- Used lube oil tank: Aluminum, approximately 58 gallon
- Pumps: AC-powered
- Fittings: Steel drip-less quick connectors

## FRESH WATER SYSTEM

The system is comprised of a divided and baffled fresh water tank, two AC supply pumps, suction supply, service and distribution manifolds, two reverse osmosis watermakers, and associated valves, filters, expansion tanks, regulators, and gauges. Freshwater wash downs with quick connects are located on all decks.

**Pumps:** Two AC centrifugal pumps, plumbed in parallel

**Water tank:** Stainless steel with an approximate tank capacity of 1,043 gallons, includes monitoring system

**Watermaker:** Two Blue Water Desalination Legend Compact 1850 (3,700 gallons per day total)

**Water filters:** Five micron sediment filters with UV sterilization light

**Water heater:** Two 50 gallon dual element, fast recovery, with 1½ hp circulation pump

## WASTE WATER SYSTEM

Black and Gray water is routed to an FRP Tank. A certified Marine Sanitation Device (MSD) is installed for treatment of all wastewater. Tank level monitoring is via electronic sensor and display with level alarms. All tanks are vented at the boot stripe. Discharge is via MSD or direct overboard via diaphragm pump. Also, a dockside connection is located at the Swim Step.

**Pumps:** High capacity solids handling AC diaphragm type

**Holding tank:** Tank is composite with an inspection hatch. Tank is electronically monitored and has an approximate capacity of 1,011 gallons. Headhunter MSD treatment with PLC touch screen, and Auto-Chlor treats black and gray water.

**Gray water sumps:** Three approximately 15 gallon gray water boxes fitted with screens; also, supply and discharge lines for all showers. Tanks have AC sump pumps and 24 volt DC backup pumps.

**MSD:** Headhunter MSD treatment with PLC touch screen and Auto-Chlor treats black and gray water

## COMPRESSED AIR SYSTEM

The vessel has a compressed air system for powering the ship's air horn, gasoline dispensing pump, and machinery spaces for air powered tools.

**Compressor:** 2 hp with 10 gallon tank

**Pressure tank:** 15 gallon

**Air hose:** 30' self-coiling with quick-disconnect

## BILGE SYSTEM

The system consists of five remote-mounted bilge float switches and alarms on all float switches.

**Bilge pumps:** Fixed bilge pump system includes an electric 230 volt AC pump with 2" PVC lines to each major compartment with check valves, strainers, and priming system

## FIRE HYDRANT SYSTEM

Five fire stations are provided, each containing a hose, angle valve and hi/lo volume nozzle. Auxiliary pump 1 is located in the Equipment Room and auxiliary pump 2 is located in Engine Room. Through a common manifold the auxiliary pumps provide redundant firefighting capability.

**Hoses:** Five 1½" x 50' FM-listed flat type with NST thread fittings

**Hose rack:** Fiberglass construction with rolled hose storage at fire station

**Fire nozzles:** One at each of the hydrant stations, FM approved

**Auxiliary pump 1:** 10 hp, diesel, centrifugal, flooded suction, with electric start

**Auxiliary pump 2:** 7.5 hp, 208 volt/3 phase/60 Hz, centrifugal, flooded suction

**Sea suction basket strainer**

## FIRE PROTECTION SYSTEM

FM200 fire suppression system is provided for the Engine Room. Automatic activation includes delay and alarm prior to discharge of suppressant. Activation triggers automatic shutdown of fuel pumps, intake fans, main engines and generators and closure of Engine Room ventilation dampers.

Engine Room and Engine Room ventilation ducts are insulated to meet an A-30 fire protection rating also providing thermal and acoustic isolation.

## SOUND ATTENUATION

Noise and vibration reduction measures are engineered by Westport and consultants.

Engine Room acoustic isolation is integrated with the fire insulation package. It is composed of an aluminum plate reflective barrier, absorptive layers and structural damping materials.

Machinery vibration is isolated through the use of resilient mounts.

Interior spaces are treated with sound-tight construction techniques to prevent noise transmission between compartments as well as floating joinery connections, acoustic insulation and damping materials to suppress the transmission of structure-borne noise and vibration.

## ANCHORING SYSTEM

Anchors are stowed in recessed stainless steel pockets on the Bow, port and starboard. Dual electric windlasses on the Foredeck provide independent operation of the two anchors. Chain is stowed in chain locker bins below the Foredeck. Anchor wash down nozzles are installed in the hawse pipes and are supplied with pressurized seawater from the fire hydrant system.

**Anchors:** Two Poole style polished stainless steel as required by ABS

**Windlasses:** Two Maxwell VWC6000 6,000 pound pull with Maxwell combination stopper/roller/tensioners for each chain

**Anchor chain:** 5/8" galvanized steel, 350' on starboard, 250' on port

**Anchor plates/pockets:** Polished stainless steel plates with welded pockets, includes stem guard

## MOORING SYSTEM

Line handling is assisted by integrated capstans on the Foredeck windlasses and electrically powered capstans on the Aft Deck.

Twelve double horn bits and hawse rings are provided, two on each side of the Foredeck, two on each Side Deck, one on each side of the Aft Deck and one on each side of the Swim Step.

**Capstans:** Two Maxwell VC3500 3,500 pound line pull

**Bits:** Ten 19", two 11½" polished stainless steel

**Hawse rings:** Ten polished stainless steel, closed type

**Mooring lines:** Eight black Mega Braid 1¼" x 75' with ballistic nylon chafe gear

**Fenders:** Eight PF-8 ProStock 24" x 66" and two PF-14 ProStock 48" x 72" inflatables

**Fender hangers:** Six

**Heaving lines:** Four 3/8" x 100' with removable monkey fists



# Electrical Systems

---

## GENERATORS

Two generators provide 208 volt/3 phase/60 Hz AC power. Generator exhausts exit the hull at the transom corners. Generator noise and vibration is isolated through the use of sound enclosures and compound resilient mounts. Generators are started and stopped at the main distribution panel or at a remote panel in the Pilothouse.

Water temperature, oil pressure, and hour meters are available through the VIC2 monitoring system.

**Generators:** Two Northern Lights M80A13, 80 kW, 1800 rpm generators with compound mounts, sound shields, InSep (external water exhaust separation mufflers)

## SHORE POWER

Connection to shore power is made through two shore cords at the stern of the vessel. System can accept single or three-phase power, from 180 to 520 volt and 47 to 64 Hz. Cords are handled through a powered deployment and retraction system. Phone outlet located at port bustle with two 50' phone cords.

**Shore power converter:** Magnus 80 kVA

## AC ELECTRICAL DISTRIBUTION

AC service from shore power and generators is routed to a main distribution electrical panel in the Control Room, then to subpanels located throughout the vessel. Main distribution panel includes a seamless transfer feature for uninterrupted power output during switchover between generator/s and shore power. Wiring is four-wire three-phase 208 volts with 120 volt single-phase branch circuits. Distribution panels have engraved faceplates.

Main power distribution panel is constructed of extruded aluminum with powder coat finish, built to IP20 level of protection and incorporates forced-draft cooling. HMI control panel at the main distribution panel displays all sources including volts/amps of each line, phase, power, power factor, and frequency.

Distribution system is designed for parallel operation between generators.

## DC ELECTRICAL SYSTEM

Six banks of absorbed glass matt (AGM) batteries supply 24 volt DC power: house bank, port and starboard main engine start banks, generator start bank, emergency bank and reserve bank.

House bank power is distributed through the main electrical distribution panel to sub panels. Emergency bank powers emergency lighting and navigation electronics. Each battery bank is equipped with an independent battery charger.

**Batteries:** All AGM cell type batteries. Two banks of two 8-D, 245-amp batteries wired in series for starting main engines (total of four) and two 100-amp group 31 batteries wired in series for generator starting. One 24 volt DC battery bank of four 8-D, 245-amp batteries wired in series and parallel for ship's service. Four 245-amp batteries wired in series and parallel provide emergency power for navigation, emergency lights, electronics and boat deck davit. Two 100-amp group 31 batteries wired in series for reserve power.

**Battery chargers:** All 24 volt DC; one 95-amp for ship's service bank, one 45-amp for main engine bank, one 20-amp for generator bank, one 95-amp for emergency bank and one 20-amp for reserve bank

**Lightning protection:** With hull CuNi ground plate and installed air terminal

## LIGHTING

**Recessed light fixtures:** LED fixtures

**Domestic fixtures:** Vimar and Leviton receptacles and switching throughout

**Reading lights:** Master and Guest Staterooms have 120 volt reading lights. Captain and Crew Quarters have 24 volt reading lights.

**Indirect lighting:** LED strip lights

**Shower lights:** 24 volt with stainless steel trim

**Searchlight:** Carlisle & Finch 200 watt Xenon located on mast with dual controls

**Exterior lighting:** The Foredeck, Side Decks, Aft Deck stair and Flybridge overhead lights are all controlled from the Pilothouse switch bank. The Aft Deck lights are switched locally.

**Underwater lights:** Four across the stern

**Navigation lights:** LED

**Crestron:** Lighting controls with switched and dimmed Crestron automation

## Vessel Alarms & Monitoring

---

**Vessel Information and Control (VIC 2) system:** A proprietary Westport monitoring and alarm system that identifies and provides visibility to critical vessel function and safety information on a single screen in the Pilothouse. Fixed panels are located at convenient locations providing operational information and alarm conditions

Items on safety control panel:

- Fifteen combo smoke / heat sensors: Combo sensors are located in all staterooms, interior public and crew areas
- Heat sensor in the Engine Room
- Five CO alarms: Engine Room, Utility room, Equipment Room, and Control Room, Aft Day Head
- Security system: Aft door, Control Room door, Salon door, port and starboard doors, Flybridge hatch, and Bosun Locker hatch monitored for unauthorized entry
- Tank levels monitored: Three fuel tanks, fresh water tank, both gray water sumps, and black water tank (Gray water boxes have alarms on DC pumps. Black water tank alarmed at 75% and 98% full levels.)
- Monitoring of AC supply switching from all available sources with volts, line 1/line 2 amps & kW monitored for each generator
- All five bilge switches monitored for water detection
- Generator engine data and alarms
- Navigation light monitoring and alarms

## Audio/Video Electronics

---

The Crestron NVX IP Digital Media system provides a variety of entertainment sources throughout the vessel.

Depending on the room type there are Hi-Definition displays, surround sound speakers and subwoofers, along with iPads and hand held remotes for control.

Kaleidescape system provides a central movie server with the Movie and Music License and Lifetime Music Guide and Software update service included. KVH TracVision HD7 system provides an HD satellite connection for North, Central and South America.

A dedicated power conditioner / double conversion online UPS supports the entertainment systems providing consistent clean and stable power.

Each area can access content either from central sources distributed by the Digital Media system or from local sources.

Central sources include:

- Kaleidescape movie/music library
- DIRECTV US & Dish Network
- Blu-ray/DVD/CD
- AppleTV (airplay/local content only)
- Apple Airplay
- Navigation chart

Local sources include (Master/Salon):

- Kaleidescape movie/music library
- DIRECTV US & Dish Network
- Blu-ray/DVD/CD
- AppleTV (airplay/local content only)

## Audio/Video System

	Salon	Galley	Master	Aft Deck	Beach	Flybridge	Foredeck	Pilothouse
<b>TV</b>	65" LED/LCD	32" LED/LCD	49" LED/LCD	46" High Bright	43" High Bright	No	No	No
<b>DVD / BluRay</b>	Yes	Yes	Yes	Yes	Yes	No	No	No
<b>Apple Airplay</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Kaleidescape</b>	Yes	Yes	Yes	Yes	Yes	Audio Only	Audio Only	Yes
<b>Satellite TV</b>	Yes	Yes	Yes	Yes	Yes	Audio Only	Audio Only	Yes
<b>Apple TV</b>	Yes	Yes	Yes	Yes	Yes	Audio Only	Audio Only	Yes
<b>Off Air TV Tuner</b>	Yes	Yes	Yes	Yes	Yes	No	No	Yes
<b>Navigation Chart</b>	Yes	Yes	Yes	Yes	Yes	No	No	Yes
<b>CCTV</b>	No	Yes	No	No	No	No	No	Yes
<b>Touch Panel</b>	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini
<b>Hand Held Remote</b>	Yes	Yes	Yes	Yes	Yes	Yes	No	No
<b>Speakers</b>	5 overhead + powered sub-woofer	TV speakers	5 overhead + powered sub-woofer	4 overhead	2 overhead + powered sub-woofer	4 overhead + powered sub-woofer	2 speakers	2 overhead

	Port Aft Guest	Stbd Aft Guest	Port Fwd Guest	Stbd Fwd Guest	Captains	Crew Mess	Port Crew	Stbd Crew
<b>TV</b>	43" LED/LCD	43" LED/LCD	43" LED/LCD	43" LED/LCD	32" LED/LCD	43" LED/LCD	24" LED/LCD	24" LED/LCD
<b>DVD / BluRay</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Apple Airplay</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Kaleidescape</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Satellite TV</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Apple TV</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Off Air TV Tuner</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Navigation Chart</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>CCTV</b>	No	No	No	No	Yes	Yes	Yes	Yes
<b>Touch Panel</b>	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini	iPad mini
<b>Hand Held Remote</b>	Yes	Yes	Yes	Yes	No	No	No	No
<b>Speakers</b>	TV speakers	TV speakers	TV speakers	TV speakers	TV speakers	TV speakers	TV speakers	TV speakers

# Navigation & Communications Electronics

---

The vessel is equipped with modern navigation and communications equipment suitable for worldwide voyages.

This equipment includes satellite based position and speed information, magnetic and true heading data, radar, electronic charting, and depth finding. Communications equipment spans numerous transmission technologies in compliance with safety regulations and to maximize contact with shore side and marine stations, enhancing the ability to communicate from any location.

## NAVIGATIONAL AIDS

Position and charting equipment consists of redundant hardware and multiple power sources to maximize reliability and availability. Dual radars are heading stabilized for ARPA.

Nobeltec TZ Professional chart plotting system with radar overlay provides coastal navigation tools with excellent charting database and bathymetric data for coastal cruising.

System components include:

- Radar 1: Furuno DRS25AX X-Band radar with 6' open array, 96 NM range
- Radar 2: Furuno DRS25AX X-Band radar with 6' open array, 96 NM range
- Search light: Carlisle Finch 200 watt Xenon, 15 million candle power with remote controls
- Air horn: Kahlenberg T-2 three trumpet, with automated signal timer
- Night vision camera: Flir M series
- Wind, depth, and speed instruments: Airmar/Maretron DSM410/NMEA 2000 network
- GPS navigator: Furuno GP170D
- Satellite compass: Furuno SCX21
- Fluxgate rate compass for TRUE heading backup

## EXTERNAL COMMUNICATION SYSTEMS

External communications (off vessel) consist of a mix of radio, cellular, hard-wired and satellite based technologies.

System components include:

- Cellular telephone service with 4G voice and data, region specific
- Cell repeater to allow users extended range with personal devices
- KVH V7HTS provides high speed satellite voice and data connection
- Inmarsat FLEET One provides worldwide satellite voice and data coverage
- Shore phone connection
- Wi-Fi marina hotspot amplifier
- AIS class A transponder
- VHF radiotelephones

## INTERNAL COMMUNICATION SYSTEMS

Onboard communications consist of IP phones and intercom.

System components include:

- Fifteen station digital phone system
- Internet connectivity through Westport Integrated Network System, wireless access is available throughout the vessel

## CAMERA SYSTEM

A comprehensive IP CCTV system offers security and assists in navigation during low visibility situations. Hi-resolution color cameras are controlled with Axis software. Digital 360 degree panoramic cameras on the Beach and Aft Deck as well as fixed port and starboard cameras on side decks assist in maintaining surveillance of entry points. In the Engine Room two full pan tilt zoom (PTZ) cameras help the captain monitor mechanical operation while piloting the vessel. Located forward on the mast is a FLIR M infra-red camera for nighttime navigation and viewing. Full PTZ camera is located on the underside of the mast cloud. Camera video is available in the Pilothouse, at the Flybridge, in the Captain's cabin, in the Crew Mess, and throughout the vessel on the entertainment system.

## Interior Finishes

---

**Interior Design:** Color, pattern and style of interior finishes are tailored to suit individual customer tastes.

Westport employs qualified interior designers to assist our customers with décor decisions. Input from outside designers is welcome.

**Joinerwork:** Premium woods, veneers, accent hardwoods, painted and wrapped surfaces are used in public areas and Guest accommodations

**Countertops:** Throughout the public areas and Guest accommodations countertops are wood with a high-gloss finish or stone.

Stone tops in the Galley, Guest and Master heads, and on buffet and bar cabinets are constructed using thin, lightweight slab with full thickness bonded edge details.

Crew Mess, Crew head, and Utility areas employ solid surface tops.

**Wall coverings:** Wall treatments are varied throughout the vessel to suit the décor of each space. Finishes include wood paneling, upholstered panels, and direct apply decorative wall coverings.

**Headliners:** Majilite vinyl fabrics are utilized with wood trim in architectural patterns to complement each space's layout and décor

**Upholstery:** Fabrics and leathers are chosen to suit the individual customer's décor. Upholstery is hand crafted by Westport's team. Custom upholstered items typically include: Galley and Pilothouse settees, loose furniture as required, Pilothouse dash panels, dash hood and window mullions, headboards, throw pillows.

**Window treatments:** Room-darkening window coverings are provided throughout the Main Deck and Lower Deck accommodations. Salon, Galley, Main Deck Foyer, and Master stateroom blinds are power operated and controlled through the Crestron system.

**Flooring:** Stone selected by Westport Interior Design is used in Master and Guest heads. Stone or engineered wood is used in the Galley and Main Deck entry area.

High quality stain-resistant carpet is installed in the Salon, Dining area, Pilothouse, Staterooms, the Lower Foyer, and the Crew Mess. Carpet runners are provided for the Salon, Dining, and Pilothouse areas.

Amtico or equal vinyl is used in Crew heads.

**Stairways:** Guest stairs are wood with non-skid. Crew stairs are carpeted. Small lights are inset for safety.

Stairway down to Guest Foyer has lift-up section for luggage storage.

**Handrails:** One at each stairwell, 1½" stainless steel. Handrails for stairs from Guest Foyer up to the Pilothouse are upholstered.

**Mattresses:** Innerspring mattresses are custom made to fit each berth

# Interior Appointments

---

## MASTER STATEROOM

**Berth:** King berth with upholstered headboard and electrically operated lift top to access storage below

**Lighting:** Recessed LED room lights

Two reading lights over headboard

Indirect LED strip accent lighting at overhead edges

**Mirrors:** Clear mirror on inside of entrance door

**Wardrobe:** Walk-in wardrobe with automatic light, closet rods, and shelves with keepers

**Joinery:** Two nightstands with drawers

Two dressers

**Loose furniture:** Chaise

**Safe:** Digital safe in walk-in closet

## MASTER HEAD

**Shower:** Stone with euro-style frameless tempered glass doors, sealed shower lights, Kohler DTV+ showering system

**Mirrors:** Two mirrors above vanities

**Lighting:** Recessed LED room lights and vanity lights, sconces on each side of medicine cabinet

**Bath accessories:** Two each soap dispenser, toilet tissue holder, towel bar, towel ring, robe hook

**Joinery:** Vanities, port and starboard

**Toilets:** Two Headhunter

## GUEST STATEROOMS

**Berth:** Three staterooms have Queen berth with upholstered headboard and electrically operated lift top to access storage below. Workout room has upper and lower Pullman twin berths and no nightstands or reading lights.

**Lighting:** Recessed LED room lights

Two reading lights

Indirect LED strip accent lighting at overhead edges

**Mirrors:** Clear full length mirror on inside of wardrobe door

**Joinery:** Two nightstands

Dresser

Wardrobe with automatic light, closet rod, and shelf with keeper

## GUEST HEADS

**Shower:** Stone with Euro-style frameless tempered glass doors, includes a sealed light, Kohler DTV showering system

**Mirror:** Mirrored medicine cabinet

**Lighting:** Recessed LED room lights and vanity lighting, fixtures on each side of medicine cabinet

**Bath accessories:** Soap dispenser, toilet tissue holder, towel bar, towel ring, robe hook

**Joinery:** Vanity and medicine cabinet with mirror

Linen locker

**Toilet:** Headhunter

### LOWER DECK GUEST FOYER

**Joinery:** Storage cabinet with stone top

**Lighting:** Recessed LED lights

### MAIN DECK ENTRANCE FOYER

**Lighting:** Overhead recessed LED lights

**Day Head:** Headhunter toilet; overhead recessed LED lights; stone vanity top and flooring; fixtures & accessories include towel ring, soap dispenser, and toilet tissue holder

### GALLEY/DINETTE

**Overhead detail:** Perimeter soffit with LED strip light

**Galley island:** Stone countertop, undermount sink with cabinets, and appliances under

**Dinette settee and table:** Settee has built-in storage, settee fabric as specified by Westport Interior Design, stone table top, two barstools

**Walk in pantry:** Dry good storage

**Formal dining service storage:** Custom storage provided for formal flatware and china

**Sinks:** One stainless steel double basin sink with cutting board and a soap dispenser, pull out spray faucet; one single basin undermount prep sink with single-handle kitchen faucet

### SALON

**Joinery:** Aft corner cabinetry storage

**Loose furniture:** As specified by Westport Interior Design, typically includes a sofa, occasional chairs, cocktail table, end tables, and ten dining chairs

**Overhead detail:** Perimeter soffit with air louvers and LED strip light. Elevated ceiling throughout middle of the room.

**Formal dining:** Formal dining table accommodates ten guests

**Bar:** Walk-up bar with sink, wine cooler, and storage

**Aft door:** Large curved four-panel polished stainless steel sliding door, weather tight, and direct bonded glass



## PILOTHOUSE

**Integrated glass bridge:** Westport integrated bridge

**Helm station wheel:** 19.6" polished stainless steel with Teak rim, leather wrap option per Westport Interior Design

**Engine controls:** CAT Integrated Control Head

**Engine instrumentation:** CAT

**Control console:** Majilite (or equal)

**Settee:** Fabric or leather as specified by Westport Interior Design

**Settee table:** With stainless steel grab rail

**Defroster:** On Pilothouse console

**Windshield wipers/washers:** Exalto windshield wipers with electronic control panel with synchronization and washers for three wipers

**Helm chair:** Stidd helm chair with fabric or leather to match settee

**Joinery:** Bookcase

Printer cabinet

Helm console housing navigation screens

**HVAC:** Soffit for air distribution

**Computer:** Laptop provided

## CAPTAIN - CREW QUARTERS

**Berths:** Captain's berth is double size and Crew has four twin berths with storage below

**Lighting:** Recessed LED room lights, reading lights

**Mirrors:** Clear full-length mirror on the inside of the wardrobe doors

**Blinds:** Manual honeycomb pleated blinds

**Joinery:** Captain's wardrobe (contains safe) and dresser

Captain's desk, includes stool

Captain's upper cabinet above desk

Captain's night cabinet over berth outboard

Crew wardrobe and dresser in each berth area

Crew storage under lower berths

Crew Mess upper and lower cabinets with solid surface countertop and backsplash

Crew Mess upholstered settee with storage cabinets above hull shelf, solid surface table top with storage cabinet under

## CAPTAIN - CREW HEADS

**Showers:** Custom-molded fiberglass with tempered glass doors, sealed shower light

**Mirrors:** Mirrored medicine cabinet

**Lighting:** Recessed LED room lights and vanity lighting

**Counters:** Solid surface

**Flooring:** Amtico or equal commercial vinyl flooring, solid surface base molding

**Bath accessories:** Soap dispenser, toilet tissue holder, towel bar and/or ring, robe hook

**Joinery:** Vanity & medicine cabinet

**Toilets:** Headhunter

## ENGINE ROOM

**Paint package:** Bright white

**Cabinets:** Storage cabinets provided

**Floor:** Removable composite floorboards with nonskid face

**Door:** Aluminum watertight door

**Fire suppression:** FM200 fire suppression system with manual/automatic control. Additional fire suppression is located on the electrical distribution panel. The system is tested and issued a certification of inspection by an authorized inspector.

## UTILITY ROOM

Accessed from the Beach Club through a watertight door, the Utility Room contains a freezer and the central VIC monitoring system. It provides access to Day Head, starboard Lazarette storage, Control Room, Engine Room, and Equipment Room.

## DAY HEAD AFT

Located on port side of the Utility room, the head features a Tecma toilet and solid surface vanity with undermount sink. Amtico or equal flooring, vinyl wall covering, and vanity mirror.

## CONTROL ROOM

Located off starboard side of Utility Room and can also be accessed through a watertight door from the Aft Deck. The main electrical distribution panel, shore power converter and FM200 fire suppression system that services the Engine Room are located here.

## EQUIPMENT ROOM

Located off port side of Utility Room, the Equipment Room contains a work bench with sink, vise, Moduline toolbox and tool set, upper storage cabinets, watermakers, and bilge pump. Access port Lazarette storage on aft wall.

## INTERIOR APPLIANCES

(All equipment is as listed or equal)

### **Galley:**

Refrigerator: Sub Zero 48"

Refrigerator: Sub Zero 24" drawer style

Cooktop: Induction cooktop 36", five-burner

Oven: Wolf 30" convection

Microwave: Wolf drawer style

Vent Hood: Wolf

Trash Compactor: Broan 15"

Hot Water Dispenser: Insta-Hot

Dishwasher: Asko

### **Salon:**

Icemaker: Perlick 15"

Refrigerator

### **Crew Mess:**

Refrigerator: Sub-Zero

Washer: Two Miele

Dryer: Two Miele

Microwave: GE

### **Utility Room:**

Freezer: Sub-Zero

## Interior Décor Items

---

**Wall coverings:** Wallpaper or fabric as specified by Westport Interior Design

**Stone:** Granite or marble as specified by Westport Interior Design

**Settee:** Leather or fabric as specified by Westport Interior Design

**Fabrics:** Headboards and furniture throughout

**Formal dining:** Twelve 5-piece place settings of china with soup/pasta bowls, one serving platter, serving bowl, sugar and creamer. Twelve 5-piece place settings of formal silverware, twelve water goblets, wine, and champagne stemware. Tableware linens include placemats, napkins, and napkin holders.

**Casual dining:** Twelve 5-piece place settings and soup/cereal bowls, one serving platter, serving bowl, sugar and creamer, twelve tall glasses, tumblers, 5-piece stainless steel flatware and stemware

**Barware:** Twelve highball glasses and double old-fashioned glasses

**Cookware:** Galley is fully equipped with cookware, cutlery, bakeware, and utensils. Cookware includes All-Clad stainless steel induction cookware set, Henkel cutlery, Kitchen Aid mixer, food processor, toaster, blender, and coffee maker.

**Linens:** Guest linens for bed and bath include pillows, two sets of sheets, including flat, fitted and pillowcases, blankets, light and medium weight duvet, duvet cover, luggage pad, bathrobes, bath towels, hand towels, and face cloths. Crew linens for bed and bath include pillows, two sets of sheets per berth, blankets, duvet and cover, bath towels, hand towels, and face cloths.

**Art and accessories:** As specified by Westport Interior Design

## Exterior Appointments

---

### FLYBRIDGE

**Decking:** Teak decking under hard top, Snow White non-skid finish aft of settees

**Flybridge helm:** Steering controls on centered console

**Wing stations:** Steering units on port and starboard of Flybridge console

**Wet bar:** Bar surface is stone with stainless steel sink. BBQ area has stone top. Refrigerator near BBQ, grill with hood and cover, and three bar stools.

**Helm wheel:** Carbon fiber wheel

**Helm chair:** Stidd Luxury Low Back, deluxe polished chrome and stainless

**Hard top:** Composite construction covering Flybridge Deck has 24 volt overhead deck lighting

**Settees:** Settee with cushions and storage below port and starboard, each with high-low table

**Mast:** Composite with electronics, anchor light

**Air horn:** Kahlenberg T2-figure 372, with ½" air strainer

**Venturi:** Custom acrylic windshield

## BOAT DECK

**Decking:** Snow White non-skid finish

**Davit:** Hydraulic powered Nautical Structures (or equal) crane features proportional control and a 2,500 pound load capacity

**Chocks:** Removable, for tender

**Rails:** Stainless steel rails with mid rail around boat deck

**Hot tub:** Molded spa with sun pad top

**Flagstaff:** Stern flagstaff with 5' x 8' U.S. flag

**Tender:** AB Nautilus 15DLX with 70 hp Yamaha outboard motor, includes the following: starboard console, VHF radio with fold down antenna, compass, depth sounder, polished stainless steel rails, transom ladder, and lifting bridle

## FOREDECK

**Decking:** Snow White non-skid finish

**Foredeck seating:** Molded-in settee with cushions, cover, and storage below

**Storage locker:** 110 volt outlet inside with lights and storage on starboard side of seating

**Bow seat:** With storage below

## SIDE DECKS

**Decking:** Teak over composite deck

**Boarding gates:** Port & starboard

**Deck fills:** House side recesses port and starboard for tank fills

**Boarding stairs:** One 8-step carbon fiber with two handrails, brackets at port & starboard gates, stowed on starboard bulwark

**Fire station:** House side recess for fire hydrant and hose

**Wind doors:** Aft side deck wind screen doors port and starboard

## AFT DECK

**Decking:** Teak over composite deck

**Bar:** Upper bar top is high gloss Teak and the lower bar surface is stone, stainless steel sink with hot and cold water, refrigerator, bar storage, and a barware cabinet

**Furniture:** Molded-in settee with cushions, one high gloss Teak dining/cocktail table on stainless steel pedestals with electric high/low features, four dining chairs, and three bar stools

**Curved staircase:** Up to the Boat Deck, a weather tight door leads down to the Control Room

**Capstans:** Two Maxwell 3500 pound 24 volt DC

## SWIM STEP

**Decking:** Teak over composite deck

**Hose bibs:** For washdowns

**Pop-up cleats:** Two at the guard (port & starboard)

**Sockets:** For swim ladder

**Swim ladder:** Folding handle, stainless steel

**Steps to Aft Deck:** Located port and starboard with Teak covered steps and stainless steel handrails

**Mooring bitts:** Two, one port & one starboard

**Capstans:** Two Maxwell 2500 pound 24 volt DC

**Access door to Utility Room:** Watertight door

**Hand rails:** 1½" polished stainless steel

**Staple rails:** 2" polished stainless steel, removable

## BEACH CLUB

**Decking:** Teak over composite deck

**Bar:** Stone covered bar with 2-drawer refrigerator, ice maker, stainless steel sink, and TV above

**Furniture:** Two folding chairs, Summit or equal

## STORAGE/EQUIPMENT LOCKERS

**Lockers:** Storage areas port and starboard of the Beach Club area

## EXTERIOR APPLIANCES

(All equipment is as listed or equal)

### **Flybridge:**

Refrigerator: Sub-Zero

Grill: RDS

### **Aft Deck:**

Refrigerator: Sub-Zero

### **Beach Club:**

Ice maker: Commercial under counter water cooled

Refrigerator: Sub-Zero 24" drawer style

## NAMEBOARDS AND LETTERING

Backlit LED name boards are located port and starboard. Transom name is to be vinyl lettering. Hailing port is to be vinyl lettering.

## RAILS

**Stainless steel rails:** Located at Transom stairs port and starboard, Swim Step at guard, Flybridge at stairs, Boat Deck sides, and Boat Deck aft, Aft Deck to Boat Deck stairs. All railings are 1½" mirror polished stainless steel except Swim Step staple rails which are 2". Boat Deck and Swim Step rails have mid-rails.

**Rubrail:** Molded-in fiberglass and high-density foam lower and middle guards with stainless steel half-oval rub strip

## THRU-HULLS

All thru-hull fittings below waterline are bronze with bronze valves and bonding.

## HATCHES

- Watertight escape hatch for port Crew Head to Bosun locker
- Hatches from Bosun locker to Foredeck
- Stainless steel sliding hatch from Pilothouse to Flybridge
- Watertight cast aluminum square Foredeck hatch to chain locker
- Curved sliding hatch from Aft Deck stairs to Boat Deck
- Two watertight hatches provide access to the Lazarette one port, one starboard

## EXTERIOR UPHOLSTERY

**Covers:** Snow White Stamoid covers are custom made for exterior settees, tables, bars, flybridge console, tender, sun pad/hot tub, and loose furniture. Snow White Stamoid bags will be utilized for loose items such as boarding ladder and folding chairs.

**Windshield:** Black mesh cover is provided for the Pilothouse forward windows

**Cushions and sun pads:** Custom fit and upholstered in color and pattern selected by Westport Interior Design

**Flybridge helm chair:** Upholstered in vinyl

## Miscellaneous Equipment

---

**Boat hook:** One 1½" x 8' with chrome plated hook end

**Flagstaffs:** Stern flagstaff rigged with 1/8" nylon line, and bow jack staff rigged with 1/8" nylon line; both rigged per standard yacht practice. Courtesy flag halyards are on the mast.

**Swim ladder:** Four step swim ladder

**Wheel puller:** Provided to pull vessel's propellers

**Tool box:** Six drawers with tools (Equipment Room)

**Spare parts:** CAT spare parts kit, Northern Lights spare parts kit, Ship spares kit

## Provisions

---

The Westport 117' is delivered with approximately 2,000 gallons of fuel and full fresh oil tank.

Cleaning supplies, towels etc. are provided.

# Safety Equipment

---

**Life rafts:** Two 10-man Zodiac life rafts

**Life preservers:** Sixteen Coast Guard-approved adult life preservers with water lights, and six Coast Guard-approved child life preservers with water lights

**Man overboard equipment:** Two 24" diameter ring buoys and one inflatable throw cushion

**Immersion suits:** Six

**EEBDs:** Two Emergency Escape Breathing Devices located in machinery areas

**Bell:** Per US Coast Guard regulations

**Safety steps:** Recessed into transom

**Fire extinguishers:** Five 10-pound, five 5-pound, and five 2½-pound dry chemical type extinguishers installed in suitable locations

**GPIRB:** Smartfind Plus (or equal)

**Flare kit**

**Medical kit**

# Plans & Support

---

## PLANS

Vessel is provided with a complete vessel owner's plan package including:

- Docking plan
- Electrical schematic
- Equipment informational packages
- Plumbing plan
- Outboard profile
- Fuel oil system diagram
- Freshwater and drain diagram
- Air-conditioning arrangement
- Tank capacity curves
- Owners manual

## WESTPORT SUPPORT

Westport provides an initial dockside orientation program for the Owner/Crew that spans a number of days prior to the delivery, as well as continuing 24/7 on call support after delivery.

Westport reserves the right to make changes and/or substitute components, materials, and inventories that Westport determines are more appropriate for the intended use than those listed in the specifications. Such substitutions shall be of like or better quality. There will be no charges or credits for any substitutions initiated by Westport.